

ATM - SRU

Multivendor Traditional Banking & Crypto ATM

Experience Better Currency/Coin Handling with Ventur Contemporary, Compact, Modular Design with High Capacity, Versatility and User Guided LEDs

Enhanced Functional Features

- Support Fujitsu currency and third party coin handling devices into one, small secure platform for multitude of applications
- Available in single (Min) or multiple (Max) component configurations
- UL business hours or 24-hour rated safe option with key or electronic combination locked enclosure to protect your cash and discourage theft
- Manufactured with heavy-duty galvannealed steel, with ruggedized slide rails to safely rack out/in components for service or replenishment.
- Available with Titania Fujitsu's robust SDK in middleware facilitating more rapid integration with your application software.
- Can be manufactured or "wrapped" for promotional purposes allowing the unit to be customized for each customer.

Benefits

- Investment protected as platform and all components 100% Fujitsu lifecycle managed.
- Speed time to market and lower development costs by when using Fujitsu's Software Development Kit.
- Add Fujitsu value-add components like the AIO PoS CPU or Impulse™ to provide a lowercost self-checkout, payment terminal or smart safe.
- Integrate components in Fujitsu's standard single or mulitple component enclosures or work with Fujitsu to produce your own custom design.

















Overview

Experience Better Currency/Coin Handling with Ventur

ATM is designed with Fujitsu legendary quality and reliability in mind. From the heavy-duty slide rails to ensure ease in racking in and out devices, to the ruggedness of the galvannealed steel enclosure, your investment will be well protected.

If your program requirements change or grow in the future, so can the devices and components in Ventur. The GSR50 cash recycler and the F53 bill dispensing unit can be upgraded with a simple field visit.

To protect what you put inside Venture you can choose a UL rated business hours or 24-hour rated safe and lock. You can select key lock, combination or electronic locks to manage access to your safe contents.

To speed your solution to market and reduce your integration costs, you can leverage Fujitsu's robust Software Development kit in middleware, proven to lower development costs and shorten go to market time by 70%.

If you are unsure about your program requirements, speak to a Fujitsu account manager. He can leverage from a team of qualified experts who have over 35 years in the retail business.





Specifications

System Platform	Microsoft Window 10 - XFS
Customer Interface	- 21,5 inch display with touch screen (Sunlight viewable optional)
	- 4 x 2 Function keys (optional)
	- Lead-through indicator
	- PIN Pad – PCI compliant (PC key cap EPP)
	- Card Reader – DIP
EMV	Level-1.2
Anti-skimming devices	- Contactless card reader (Integrated NFC reader via card,smartphone or smartwatch)
	- Audio – speaker / earphone jack
Servicing	Front access (Rear access optional) CASH MODULE
Security CEN (optional)	- Lock : Combo-lock + Key lock (Common Key)
	- Sensor :Door sensor with Alarm (Heat & Seismic)
	- Privacy filter viewing angle 30°
	- Anti-shimming, Anti cash trapping
	- Security camera (Face & Hand)
Receipt printer	Graphical thermal printer & E-journal printer
Barcode reader	Yes
Palm vein scanner	Yes
Dimensions	- Height : 1,513mm (59.6 inch)
	- Width: 470mm (18.5inch)
	- Depth : 847mm (33.3 inch)
	- Weight : 497kg (1,096lbs.)

Contact

OLA ATM

Fujitsu Frontech

Costa Rica, San Jose Calle 11 entre Av. Central y 2da, Edificio Bella Vista

Website: www.latinamericapayments.com

©2017 Copyright Inc. All rights reserved. Fujitsu and the Fujitsu logo are registered trademarks. All other trademarks are the property of their respective owners. Statements herein are based on normal operating conditions and are not intended to create any implied warranty of merchantability or fitness for a particular purpose. Latin America Payments Inc. reserves the right to modify, at any time without notice, these statements, our services, products, and their warranty and performance specifications.

Powered By



Page 3 of 4 www.olaatm.com